



Safety Data Sheet

(SDS) °

Creation Date:2023/01/18 Revision Date:2023/01/18 Version:2023 Prepared according to UN GHS (the 9th revised edition)

Product Name: JS Polymer Cementitious Waterproof Coating (Powder)

Model:/

Company Name: HUBEI JOABOA TECHNOLOGY CO., LTD.




TJTest GHS SDS Report-T230118823E

1/8



T230118823E





Substance \square Prepation \square		
Component	CAS No.	Content(%)
Cement	1327-39-5	81%
Silica fume	7440-21-3	16%
Urea	57-13-6	2.84%
Polycarboxylic water-reducing agent	111-40-0	0.16%

4、 First aid measures

4.1 Description of first aid measures

Test Technology Co., Ltd

General advice:Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

Skin contact:Rinse with clean water,Ensure that you understand the relevant personal protection knowledge,Take precautions to protect themselves.

Eye contact: Wash with running water or saline, Seek medical attention if necessary.

Inhalation: Move to fresh air, Keep the airway open, Seek medical attention if you feel unwell.

Intake:Clean up the mouth, induce vomiting, seek medical attention.

Protecting of first-aiders:Ensure that medical personnel are aware of the substance involved. Tak e precautions to protect themselves and prevent spread of contamination.

4.2 Indication of any immediate medical attention and special treatment needed

- 1、Treat symptomatically.
- 2. Symptoms may be delayed.

5. Firefighting measures

5.1 Extinguishing media

- 1. Suitable extinguishing media: Water, alcohol-resistant foam, dry powder, carbon dioxide.
- 2. Unsuitable extinguishing media:No data available

5.2 Specific hazards arising from the substance or mixture

1、No data available.

5.3 Advice for firefighters

1、 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.

- 2. Fight fire from a safe distance, with adequate cover.
- 3. Prevent fire extinguishing water from contaminating surface water or the ground water system.

6、 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- 1. Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- 2. Ensure adequate ventilation. Remove all sources of ignition.
- 3. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 4. Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

6.2 Environmental precautions

- 1. Discharge into the environment must be avoided.
- 6.3 Methods and materials for containment and cleaning up

TJTest GHS SDS Report-T230118823E

3/8



1, Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

2. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7、 Handling and storage

7.1 Precautions for handling

- 1、 Closed operation, full ventilation.
- 2. Operators must be specially trained to strictly abide by the operating procedures.
- 3. It is recommended that operators wear self-priming filter dust masks and chemical safety glasses.
- 4. Keep away from fire, heat, and smoking in the workplace.
- 5. Use explosion-proof ventilation systems and equipment.

7.2 Precautions for storage

- 1. Store in a cool, ventilated warehouse.
- 2、Keep away from fire and heat.

3 It should be stored separately from oxidants, reducing agents, halogens, etc., and should not be mixed.

8. Exposure controls/personal protection

8.1 Control Parameters

- 8.1.1 Occupational exposure limits
 - **Occupational Exposure limit values**

Component	Country/Dogion	Limit value	e - Eight hours	Limit value - Short term		
Component	Country/Region	ррт	mg/m ³	ppm	mg/m ³	
All components	USA - OSHA	Unspecified	Unspecified	Unspecified	Unspecified	
	South Korea	Unspecified	Unspecified	Unspecified	Unspecified	
	Ireland	Unspecified	Unspecified	Unspecified	Unspecified	
	Germany(AGS)	Unspecified	Unspecified	Unspecified	Unspecified	
	Denmark	Unspecified	Unspecified	Unspecified	Unspecified	
	Australia	Unspecified	Unspecified	Unspecified	Unspecified	

8.1.2 Biological limit values

Biological limit values: No information available

8.1.3 Monitoring methods

1, EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

2 BZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard).

8.2 Engineering controls

- 1. Ensure adequate ventilation, especially in confined areas.
- 2. Ensure that eyewash stations and safety showers are close to the workstation location.
- 3. Use explosion-proof electrical/ventilating/lighting/equipment.
- 4. Set up emergency exit and necessary risk-elimination area.

8.3 Personal protection equipment

General requirement:



Technology Co., Ltd

Eye protection:Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US). **Hand protection:**Wear protective gloves (such as butyl rubber), passing the tests according toEN 374(EU),US F739 or AS/NZS 2161.1 standard.

Respiratory protection: Wear ordinary protective masks.

Skin and body protection: Wear ordinary protective clothing.

Other protection:Smoking, eating and drinking are forbidden on the job site. Maintain good hygiene habits.

9、 Physical and chemical properties

Appearance: Gray Powder.

Odor:Weak odor.

Odor threshold: No data available.

PH value:No data available.

Melting point/freezing point (°C) :No data available.

Initial boiling point and boiling range (°C) :No data available. Flash point (closed cup, °C) :No data available.

Evaporation rate:No data available.

Flammability (solid or gas) :No data available.

Explosion upper/lower limit [%(v/v)]:No data available.

Vapor pressure (kPa) :No data available.

Vapor density (air = 1) :No data available.

Relative density (water = 1) :No data available.

Solubility (mg/L) :No data available.

Octanol/water partition coefficient:No data available. **Auto-ignition temperature (°C) :**No data available.

Decomposition temperature (°C) :No data available.

Viscosity:No data available.

Others. No data available.

10、 Stability and Reactivity

Reactivity:Contact with incompatible materials can cause decomposition or other chemical reactions. **Chemical stability:**Stable under the correct conditions of use and storage.

Possibility of hazardous reactions: No data available.

Conditions to avoid: Electrostatic discharge, heat, humidity, etc.

Incompatible materials: Strong oxides, strong acids, strong bases.

Hazardous decomposition products:Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11、 Toxicological information

11.1 Acute toxicity

11.1 Acute tox	icity		
Component	LD ₅₀ (oral)	LD ₅₀ (Transcutaneous)	LC50(inhalation, 4h)

TJTest GHS SDS Report-T230118823E

			nology Co., I]]		1	-	Ŋ		T23011	8823E
	All com	ponents	N	lot availab	ole	N	lot availab	ole	Ν	Not availab	le	
	11.2 Ca	arcinogei	nicity					0				_
		Compo	nent			IARC			1	NTP		
		All comp	onents			Not Listed	1		No	t Listed		
0	11.3 Ot	thers		0	0				0		1	-
	Comp onent	Corro sive skin/ irritat ion	Serio us eye dama ge/irri tation	Skin sensiti zation	Respi ratory sensiti zation	Repro ductiv e toxicit y	Specif ic target organ toxicit y - single expos ure	Specif ic target organ toxicit y - repeat ed expos ure	Aspir ation hazar d	Germ cell muta genici ty	Repro ductiv e toxicit y	(((
	All	Not	Not	Not	Not	Not	Not	Not	Not	Not	Not	1
0	comp	availa	availa	availa	availa	availa	availa	availa	availa	availa	availa	
	onents	ble	ble	ble	ble	ble	ble	ble	ble	ble	ble	

 \sim

12、 Ecological information

12.1 Acute aquatic toxicity

12.1 Meute aquad	to to Altry					
Component	Fish	Crustaceans	Algae			
All components	Not available	Not available	Not available			
12.2 Chronic aquatic toxicity						
Component	Fish	Crustaceans	Algae			
All components	Not available	Not available	Not available			

12.3 Others

lity PBT and vPvB results	
ole Not available	
	results

13, Disposal considerations

Disposal considerations: Recycle as much as possible.

Waste chemicals:Contaminated packaging: Residual hazards may still exist after the contents of the packaging are emptied. Keep away from heat and sources of ignition. If possible, recycle them to the supplier for recycling.

Disposal considerations: Refer to the "Disposal" section.

14、 Transportation information

Suggestion according to JT/T 617-2018, the substance is not subject to JT/T 617-2018. Suggestion according to IMO IMDG Code, the substance is not subject to IMO IMDG Code.



United Nations Dangerous Goods Number (UN No.): The product is not dangerous.

UN proper shipping name:None

UN Risk Classification:None

Packing Category:None

Packaging label:None

Marine Pollutants (Yes/No):No

Packing method:Pack according to the manufacturer's recommendations. **Transportation Note:**No data available.

15、 Regulatory information

International chemical inventory

international enemie internation								
Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECL	AICS
Cement	Listed							
Silica fume	Listed							
Urea	Listed							
Polycarboxylic								
water-reducing	Listed							
agent		0			C			

[EINECS] European Inventory of Existing Commercial Chemical Substances

[TSCA] United States Toxic Substances Control Act Inventory

[DSL] Canadian Domestic Substances List

[IECSC] China Inventory of Existing Chemical Substances

[NZIOC] New Zealand Inventory of Chemicals

[PICCS] Philippines Inventory of Chemicals and Chemical Substances

[KECL] Korea Existing Chemical List

[AICS] Australia Inventory of Chemical Substances

16、Others

16.1 Reference:

[1] IPCS:The International Chemical Safety Cards (ICSC),website:http://www.ilo.org

[2] IARC,website:http://www.iarc.fr

[3] OECD:The Global Portal to Information on Chemical Substances, website:http://www.echemportal.org

[4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov

[5] NLM:ChemIDplus,website:http://chem.sis.nlm.nih.gov

[6] EPA:Integrated Risk Information System, website: http://cfpub.epa.gov

[7] U.S. Department of Transportation:ERG,website:http://www.phmsa.dot.gov

[8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de

16.2 Others:

1. Abbreviations and acronyms

CAS-Chemical Abstracts Service

- PC-STEL- Short term exposure limit
- DNEL-Derived No Effect Level
- **RPE-Respiratory Protective Equipment**

TJTest GHS SDS Report-T230118823E

7/8



LC50-Lethal Concentration 50% NOEC-No Observed Effect Concentration PBT-Persistent, Bioaccumulative, Toxic **BCF-Bioconcentration factor (BCF)** IMDG-International Maritime Dangerous Goods UN-The United Nations NFPA-National Fire Protection Association CMR-Carcinogens, mutagens or substances toxic to reproduction PC-TWA -Time Weighted Average IARC-International Agency for Research on Cancer **PNEC-Predicted No Effect Concentration** LD50-Lethal Dose 50% EC50-Effective Concentration 50% POW-Partition coefficient Octanol:Water vPvB-very Persistent, very Bioaccumulative ICAO/IATA-InternationalCivil Aviation Organization/International Air Transportation Association ACGIH-American Conference of Governmental Industrial Hygienists

OECD-Organization for Economic Co-operation and Development)

2 Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 9th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disperator the around.

SDS Effective Date:2023/01/18 (Valid in the year)

TJTest GHS SDS Report-T230118823E

Date:18-Jan.-23

T230118823E